

storage systems



TRESTON®





ergonomics

EXPERT SOLUTIONS FOR PROFESSIONALS

We focus on two product lines: industrial furniture and storage systems. As professionals we recognize our customers' needs and know how to develop the best products to meet these needs. In addition to high quality and durability we put a lot of effort in product ergonomics and design. Due to the flexibility of our production we can offer customized solutions as well. Treston is an ISO 9001:2000 registered company.

PLASTIC MATERIALS

PS = Crystal clear polystyrene: Temperature tolerance -40 ... +65°C.
 PP = Polypropylene: Temperature tolerance -20 ... +80°C. Withstands the effects of most oils, acids and solvents.
 SB = Coloured polystyrene: Temperature tolerance -40 ... +65°C

COLOURS

Colours reproduced here are as accurate as print techniques allow.

Plastic colour code

crystal clear
TRESTON colour: 1

anthracite grey
RAL 7016
TRESTON colour: 3

traffic red
RAL 3020
TRESTON colour: 5

sky blue
RAL 5015
TRESTON colour: 6

night blue
RAL 5022
TRESTON colour: 60



light grey
RAL 7035

Steel colour



grey
RAL 7045

design

flexibility

contents

Visible storage cabinets/series 550 and 290	4 - 5
Turntable assemblies for visible storage cabinets 12-550/PTP-5	6
Cabinets stand and trolley BS-550/BT-550	7
Storage bin cabinets /series 300, 400 and 12	8
Turntable assemblies for colour bin cabinets 16-300/16-400	9
Retaining bars A-400/A-425	9
High density storage cabinets 2440/4840	10 - 11
Castor set PS-LH, retaining bars A-605	10
Shelf bins with corrugated base	12 - 13
Stacking bins	14 - 15
Bin rail 700	16
Picking bins	16
Colour bins with smooth base	16
Containers	16
Crystal clear bins	17
Stacking bin stands and trolley BS-160/BT-170	18
Gravity flow rack DBS-808	19
Stacking bin stands BR-2530/BR-4050	19

visible storage cabinets

Cabinets, which combine a stylish industrial design with practical accessories to provide flexible and efficient small parts storage. Available in two cabinet sizes, 550 and 290 mm high. A compact storage system: one cabinet offers storage for up to 360 different items. Designed with drawer handles recessed within the frame for additional protection during transport. The cabinets can be wall hung, stood on the worktop or mounted on spacesaving turntables.



Series 550

The design combines the use of a strong, dark grey (RAL 7016) polypropylene frame and galvanised steel shelves in such a way that small drawers of crystal clear polystyrene sit securely within the framework. Self adhesive labels are provided for each drawer. Seven different alternatives at 550 high.

Small drawers, see page 17.

Accessories: cross and length dividers

Depth: 180 mm
Width: 310 mm
Height: 550 mm



Code	550-3	551-3	552-3	554-3	556-3	557-3	550C-3
Drawer type (Quantity/cabinet)	L-00 (60 pcs)	L-01 (48 pcs)	L-02 (24 pcs)	L-04 (24 pcs)	L-06 (8 pcs)	L-07 (12 pcs)	L-01 (24 pcs) L-04 (6 pcs) L-06 (2 pcs)
Cross dividers, ordered separately (Quantity/drawer)	V-00 (5 pcs)	V-01 (5 pcs)	V-02 (5 pcs)	V-04 (5 pcs)	V-06 (5 pcs)	V-07 (5 pcs)	V-01 (5 pcs) V-04 (5 pcs) V-06 (5 pcs)
Length dividers ordered separately (Quantity/drawer)	-	V-012 (1 pcs)	V-012 (3 pcs)	V-0456 (1 pcs)	V-0456 (5 pcs)	V-078 (1 pcs)	V-012 (1 pcs) V-0456 (1 pcs) V-0456 (5 pcs)

visible storage cabinets



The overall size of the series 290 is half of the series 550. These cabinets take little space and give you effective storage. They can be wall hung or mounted on spacesaving turntables, stands or stood on the worktop.

Series 290

The design combines the use of a strong, dark grey (RAL 7016) polypropylene frame and galvanised steel shelves in such a way that small drawers of crystal clear polystyrene sit securely within the framework. Self adhesive labels are provided for each drawer. Seven different alternative at 290 high.

Small drawers, see page 17.

Accessories: cross and length dividers

Depth: 180 mm
Width: 310 mm
Height: 290 mm



Features of the small parts drawers

- the crystal clear drawers are transparent, allowing visual identification
- each drawer has a corrugated base to simplify picking
- a large, sturdy handle provides a full width label area.
- accessories: cross and length dividers.

Small drawers, see page 17.



Code	290-3	291-3	292-3	294-3	296-3	297-3	290C-3
Drawer type (Quantity/cabinet)	L-00 (30 pcs)	L-01 (24 pcs)	L-02 (12 pcs)	L-04 (12 pcs)	L-06 (4 pcs)	L-07 (6 pcs)	L-01 (12 pcs) L-04 (3 pcs) L-06 (1 pcs)
Cross dividers, ordered separately, (Quantity/drawer)	V-00 (5 pcs)	V-01 (5 pcs)	V-02 (5 pcs)	V-04 (5 pcs)	V-06 (5 pcs)	V-07 (5 pcs)	V-01 (5 pcs) V-04 (5 pcs) V-06 (5 pcs)
Length dividers ordered separately (Quantity/drawer)	-	V-012 (1 pcs)	V-012 (3 pcs)	V-0456 (1 pcs)	V-0456 (5 pcs)	V-078 (1 pcs)	V-012 (1 pcs) V-0456 (1 pcs) V-0456 (5 pcs)

spacemiser

Perfect for the location, storage and identification of thousands of small components. Such assemblies offer storage for up to 4.320 different items on a floor area of only 0,25 sqm.



Spacemiser 12-550

This unit includes a ball bearing base and dividing trays. The assembly holds 12 visible storage cabinets of series 550 in three layers. Each layer consist of four cabinets which are ordered separately. Load capacity 400 kg. Complete assembly's D x W x H : 500 x 500 x 1730 mm. Visible storage cabinets, see page 4.

12-550 +
12 pcs 550 series cabinets

PTP-5 +
2 pcs 290 series cabinets



Bench top spacemiser PTP-5

This unit includes a ball bearing base. It holds 2 visible storage cabinets of series 290 or 550 which are ordered separately. Load capacity 50 kg Complete assembly's D x W x H : 310 x 360 x 300 mm (series 290) 310 x 360 x 560 mm (series 550)

cabinets stand and trolley



BT-550 +
8 pcs 550 series cabinets

Ideal for service, workshop, production and storage areas etc. A practical and flexible storage system, with static and mobile options as required.

Single stand BS-550L

This assembly holds 4 visible storage cabinets of series 550, which are ordered separately. Free standing frame of epoxy powder coated in grey (RAL 7045). 3 aluminium rails are included. Load capacity 50 kg. Overall dimensions D x W x H: 420 x 760 x 1585 mm.

Double stand BS-550T

This assembly holds 8 visible storage cabinets of series 550, which are ordered separately. Construction as single stand. Load capacity 100 kg. Overall dimensions D x W x H: 600 x 760 x 1585 mm.

Trolley BT-550

This assembly holds 8 visible storage cabinets of series 550, which are ordered separately. Construction as double stand. With bottom shelf of 12 mm laminated board. Four castors Ø 100 mm, two with brakes. Load capacity 150 kg. Overall dimensions D x W x H: 600 x 760 x 1700 mm.

Series 550

The design combines the use of a strong, dark grey (RAL 7016) polypropylene frame and galvanised steel shelves in such a way that small drawers of crystal clear polystyrene sit securely within the framework. Self adhesive labels are provided for each drawer. Seven different alternative at 550 high. Accessories: cross and length dividers

Depth: 180 mm
Width: 310 mm
Height: 550 mm

Code	Drawer Quantity	Ext. drawer dims D x W x H mm
550	60 pcs	175 x 55 x 37
551	48 pcs	175 x 69 x 37
552	24 pcs	175 x 138 x 37
554	24 pcs	175 x 92 x 59
556	8 pcs	175 x 277 x 59
557	12 pcs	175 x 138 x 81
550C	24 pcs	175 x 69 x 37
	6 pcs	175 x 92 x 59
	2 pcs	175 x 277 x 59



BS-550L +
4 pcs 550 series cabinets



BS-550T +
8 pcs 550 series cabinets

storage bin cabinets

Storage of larger items is easily arranged with colour bin cabinets, which are stackable vertically and may be wall hung or mounted on turntable assemblies. Four sizes of frames, seven sizes of bins.

Comprises a grey epoxy enamelled steel frame (RAL 7045), colour bins with backstops and labels with protective shields. The crystal clear bins are of polystyrene (PS) and the coloured of polypropylene (PP). (The coloured bins of cabinet O440 are of polystyrene (SB)). Colour bins are detailed on pages 12 -13.

Accessories:
 Cross dividers
 Retaining bars , see page 9
 Turntables, see page 9



Code	crystal clear grey red blue	0830-1 0830-3 0830-5 0830-6	1630-1 1630-3 1630-5 1630-6	0840-1 0840-3 0840-5 0840-6	1640-1 1640-3 1640-5 1640-6	0440-1 — 0440-5 0440-6	1230-1 1230-3 1230-5 1230-6	1240-1 1240-3 1240-5 1240-6
Drawer Type		3020	3010	4020	4010	4040	3015	4015
(Quantity/cabinet)		(8 pcs)	(16 pcs)	(8 pcs)	(16 pcs)	(4 pcs)	(12 pcs)	(12 pcs)
Frame	depth width height	300 mm 400 mm 395 mm	300 mm 400 mm 395 mm	400 mm 400 mm 395 mm	400 mm 400 mm 395 mm	400 mm 400 mm 395 mm	300 mm 425 mm 465 mm	400 mm 425 mm 465 mm
Cross dividers, ordered separately (Quantity/Drawer)		D-20 (4 pcs)	D-10 (4 pcs)	D-20 (6 pcs)	D-10 (6 pcs)	V-40 (3 pcs)	D-15 (4 pcs)	D-15 (6 pcs)

turntable assemblies



16-300 +
16 pcs cabinets

16-400 +
16 pcs cabinets

Compact storage systems for use in service, workshop, production and storage areas. Space saving practical turntable assemblies are ideal for the location, storage and easy identification of thousands of components. Such assemblies offer storage for up to 1.792 different items on a floor area of only 0,64 sqm. When wall space is limited the turntable assembly, strategically placed, is a huge space saver. Load capacity 800 kg. Easy assembly without tools.

NOTE! Turntable is not available for cabinets of series 12.

16-300

This unit holds 16 Bin Cabinets of 300 mm depth, ordered separately. Load capacity 800 kg. Complete assembly's D x W x H: 700 x 700 x 1680 mm.

16-400

This unit holds 16 Bin Cabinets of 400 mm depth, ordered separately. Load capacity 800 kg. Complete assembly's D x W x H: 800 x 800 x 1680 mm.

Retaining bars

Cabinets for mobile service and maintenance vehicles can be equipped with safety/Retaining bars. Set includes 4 pieces.

A-400

Suitable for cabinets 0830, 1630, 0840, 1640 and 0440.

A-425

Suitable for cabinets 1230 and 1240.

A 425

A 400



high density storage cabinets



High density cabinets are for use in workshop, stores and many other applications. Robust construction. Load capacity 240 kg. Mobile storage option with castors if required. A compact storage system – one cabinet offers storage for up to 336 different items on a floor area of only 0,25 sqm.

Each cabinet includes a grey epoxy enamelled steel frame (RAL7035), colour bins with backstops, labels and protective shields. Adjustable feet are provided for fine levelling. Load capacity for the cabinet is 240 kg/30 kg per shelf. Dividers are available separately. Details of the colour bins can be found on pages 12 and 13.



Castor set PS-LH

A castor set is available to make the high density cabinet mobile. 4 castors Ø 100 mm, 2 with brakes. Load capacity of cabinet with castors is 150 kg. Dimensions of cabinet with castors D x W x H: 410 x 605 x 980 mm.

Retaining bars A-605

Cabinets for mobile service and maintenance vehicles can be equipped with safety/retaining bars. Set includes 8 pieces. Suitable for cabinets 2440 and 4840.

Code	grey red blue	2440-3 2440-5 2440-6	4840-3 4840-5 4840-6
Drawer Type		4020	4010
(Quantity/cabinet)		(24 pcs)	(48 pcs)
Frame	depth width height	410 mm 605 mm 870 mm	410 mm 605 mm 870 mm
Cross dividers, ordered separately	(Quantity/drawer)	D-20 (6 pcs)	D-10 (6 pcs)



Full width label with protective shield is easy to keep clean and change when necessary. The label is included in the price.

Profiled sides and welded assembly give the frame strength and rigidity. Backstops prevent the drawer from being pulled out of the frame.

Mobile storage allows for easy access and provides flexibility and keep it all within an arm's reach for handy ease of use.



shelf bins



Corrugated base eases the picking of very small items.



A new grey colour has been introduced to this range



Full width label with protective shield is easy to keep clean and change when necessary. The label is included in the price.



TRESTON shelf bins provide an ideal way of storing small/medium sized items in workshop, production and stores. The shelf bins are particularly suitable for use in small parts retrieval systems and mobile shelving. Four sizes in depths of 300, 400, 500 or 600 mm. Bright colours are available for easy colour coding systems. Crystal clear bins, even when using the index label provided, allow visible identification of bin contents. Corrugated base eases the picking of very small items. Full width label with protective shield is easy to keep clean and change when necessary. The label is included in the price.



Material

- PS = Crystal clear polystyrene: Temperature tolerance -40...+65°C.
- PP = Polypropylene: Temperature tolerance -20 ... +80°C. Withstands the effects of most oils, acids and solvents.

Colour

- crystal clear
- grey RAL 7016
- red RAL 3020
- blue RAL 5015

Accessories

- Cross dividers.
- Extra labels.
- Back stops.

	Code	Colour	Material	Outer dims D x W x H mm	Inner dims D x W x H mm	Cross divider	Number/ bin		
	3010-1 3010-3 3010-5 3010-6	crystal clear grey red blue	PS PP PP PP	300 x 92 x 82	257 x 75 x 70	D-10	4 pcs		
	4010-1 4010-3 4010-5 4010-6	crystal clear grey red blue	PS PP PP PP	400 x 92 x 82	357 x 75 x 70	D-10	6 pcs		
	5010-1 5010-3 5010-5 5010-6	crystal clear grey red blue	PS PP PP PP	500 x 92 x 82	457 x 75 x 70	D-10	8 pcs		
		3015-1 3015-3 3015-5 3015-6	crystal clear grey red blue	PS PP PP PP	300 x 132 x 100	257 x 110 x 90	D-15	4 pcs	
		4015-1 4015-3 4015-5 4015-6	crystal clear grey red blue	PS PP PP PP	400 x 132 x 100	357 x 110 x 90	D-15	6 pcs	
		5015-3 5015-5 5015-6	grey red blue	PP PP PP	500 x 132 x 100	457 x 110 x 90	D-15	8 pcs	
		6015-3 6015-5 6015-6	grey red blue	PP PP PP	600 x 132 x 100	557 x 110 x 90	D-15	10 pcs	
			3020-1 3020-3 3020-5 3020-6	crystal clear grey red blue	PS PP PP PP	300 x 186 x 82	257 x 167 x 70	D-20	4 pcs
			4020-1 4020-3 4020-5 4020-6	crystal clear grey red blue	PS PP PP PP	400 x 186 x 82	357 x 167 x 70	D-20	6 pcs
			5020-1 5020-3 5020-5 5020-6	crystal clear grey red blue	PS PP PP PP	500 x 186 x 82	457 x 167 x 70	D-20	8 pcs
			6020-1 6020-3 6020-5 6020-6	crystal clear grey red blue	PS PP PP PP	600 x 186 x 82	557 x 167 x 70	D-20	10 pcs

stacking bins



A new grey colour has been introduced to this range

Corrugated base eases picking of small parts.

The open fronted design allows good access. The crystal clear bin allows visual identification of the contents.



Designed to facilitate easy stock selection and picking. The open front gives good access, and the corrugated bases help to retrieve contents, especially smaller sized and flat objects. 8 sizes available. Our stacking bins are suitable for stands, trolley, bin rails, table stands, standard metric shelving and parts retrieval systems. Bright colours are available for colour coding. The crystal clear bin allows visual identification of the contents, even when an index label is used.



Material









- PS = Crystal clear polystyrene: Temperature tolerance -40 ... +65°C.
- PP = Polypropylene: Temperature tolerance -20 ... +80°C. Withstands the effects of most oils, acids and solvents.

Colour

- crystal clear
- grey RAL 7016
- red RAL 3020
- blue RAL 5015

Accessories:

Cross dividers, of grey epoxy enamelled steel (RAL 7035). Labels with protective shields. Bin rails, see page 16

	Code	Colour	Material	Outer dims D x W x H mm	Inner dims D x W x H mm	Cross divider	Number/ bin	Label + shield
	1015-1 1015-3 1015-5 1015-6	crystal clear grey red blue	PS PP PP PP	165 x 105 x 75	105 x 90 x 65	—	—	E-10
	1520-1 1520-3 1520-5 1520-6	crystal clear grey red blue	PS PP PP PP	192 x 149 x 105	130 x 125 x 90	—	—	E-15
	1525-1 1525-3 1525-5 1525-6	crystal clear grey red blue	PS PP PP PP	250 x 149 x 130	185 x 125 x 115	V-14	1 pcs	E-15
	1930-1 1930-3 1930-5 1930-6	crystal clear grey red blue	PS PP PP PP	300 x 186 x 156	230 x 155 x 140	V-19	1 pcs	E-20
	1940-1 1940-3 1940-5 1940-6	crystal clear grey red blue	PS PP PP PP	400 x 186 x 156	330 x 155 x 140	V-19	3 pcs	E-20
	1950-1 1950-3 1950-5 1950-6	crystal clear grey red blue	PS PP PP PP	500 x 186 x 182	400 x 145 x 165	V-195	3 pcs	E-20
	3040-3 3040-5 3040-6	grey red blue	PP PP PP	400 x 310 x 156	315 x 270 x 140	V-30	3 pcs	E-20
	3050-3 3050-5 3050-6	grey red blue	PP PP PP	500 x 310 x 182	400 x 270 x 165	V-30	3 pcs	E-20

bin rail, storage bins

Bin rail 700

Bin rail of grey epoxy enamelled (RAL 7045) steel. With fixings for wall mounting. Rail length 700 mm. Accessories: TRESTON stacking and picking bins. Stacking bins, see pages 14 and 15.

Suitable for	Type	One rail holds
Stacking Bin	1015	7 pcs
	1520	5 pcs
	1525	5 pcs
	1930	7 pcs
Picking bins	30-1L	7 pcs
	30-2L	3 pcs
	30-23L	3 pcs

Picking bins

Picking bins are intended for repeated and rapid picking. All the inner faces are rounded and the front has a distinctive sloping design. Suitable for bench stand and bin rail. Material: coloured polystyrene (SB).

Code	Colour	Outer dims D x W x H mm	Inner dims D x W x H mm
30-1L-5*	red	160 x 99 x 70	100 x 85 x 62
30-1L-6	blue		
30-2L-5*	red	160 x 198 x 70	100 x 175 x 62
30-2L-6	blue		
30-23L-5*	red	160 x 198 x 70	100 x 175 x 62 (2 fixed length dividers)
30-23L-6	blue		

Shelf bins

Smooth sides and base mean maximum use of valuable shelf space: No wasted space between bins. Volume 12 litres. Material: crystal clear polystyrene (PS) and coloured polystyrene (SB). Accessories: cross divider V-40.

Code	Colour	Outer dims D x W x H mm	Inner dims D x W x H mm
4040-1*	crystal clear	400 x 186 x 180	385 x 170 x 170
4040-5*	red		
4040-6*	blue		

Containers

Straight sided storage containers of 18 and 36 litres capacity are used for internal and external transport systems. These have integral handles and stack securely together. Material: polypropylene (PP).



Code	Colour	Outer dims D x W x H mm	Inner dims D x W x H mm
10-18L-60	blue	535 x 323 x 150	480 x 300 x 125
10-36L-60	blue	508 x 323 x 280	480 x 300 x 210

Storage bins

Especially suitable for in-house material flow within factories and warehouses. Material: polypropylene (PP).





Code	Colour	Outer dims D x W x H mm	Inner dims D x W x H mm
1949-60R	blue	490 x 185 x 250	430 x 145 x 195
3149-60R	blue	490 x 310 x 250	430 x 270 x 195

*) Made to order



transparent storage drawers



Product	Code	Outer dims D x W x H mm	Inner dims D x W x H mm	Cross divider	Quantity/ drawer	Length dividers	Quantity/ drawer
 Small drawer	L-00	175 x 55 x 37	146 x 47 x 32	V-00	5 pcs	—	—
	L-01	175 x 69 x 37	146 x 61 x 32	V-01	5 pcs	V-012	1 pcs
	L-02	175 x 138 x 37	146 x 128 x 32	V-02	5 pcs	V-012	3 pcs
	L-04	175 x 92 x 59	146 x 82 x 55	V-04	5 pcs	V-0456	1 pcs
	L-06	175 x 277 x 59	146 x 266 x 55	V-06	5 pcs	V-0456	5 pcs
	L-07	175 x 138 x 59	146 x 128 x 74	V-07	5 pcs	V-078	3 pcs
	 Shelf bin	3010-1	300 x 92 x 82	257 x 75 x 70	D-10	4 pcs	—
4010-1		400 x 92 x 82	357 x 75 x 70	D-10	6 pcs	—	—
5010-1		500 x 92 x 82	457 x 75 x 70	D-10	8 pcs	—	—
3015-1		300 x 132 x 100	257 x 110 x 90	D-15	4 pcs	—	—
4015-1		400 x 132 x 100	357 x 110 x 90	D-15	6 pcs	—	—
3020-1		300 x 186 x 82	257 x 167 x 70	D-20	4 pcs	—	—
4020-1		400 x 186 x 82	357 x 167 x 70	D-20	6 pcs	—	—
5020-1		500 x 186 x 82	457 x 167 x 70	D-20	8 pcs	—	—
6020-1		600 x 186 x 82	557 x 167 x 70	D-20	10 pcs	—	—
 Shelf bin	4040-1	400 x 186 x 180	385 x 170 x 170	V-40	3 pcs	—	—
							Labels with protective shields
 Stacking bin	1015-1	165 x 105 x 75	105 x 90 x 65	—	—	E-10	
	1520-1	192 x 149 x 105	130 x 125 x 90	—	—	E-15	
	1525-1	250 x 149 x 130	185 x 125 x 115	V-14	1 pcs	E-15	
	1930-1	300 x 186 x 156	230 x 155 x 140	V-19	1 pcs	E-20	
	1940-1	400 x 186 x 156	330 x 155 x 140	V-19	3 pcs	E-20	
	1950-1	500 x 186 x 182	400 x 145 x 165	V-195	3 pcs	E-20	

stacking bin stands and trolley

Single stand BS-160LA

Free standing frame of epoxy powder coated steel in grey (RAL 7045). 8 adjustable aluminium bin rails are included which may be positioned at 39 mm increments. Length of rail 753 mm. Load capacity per rail is 15 kg. Total load for the stand is 120 kg. Stacking bins are ordered separately. Overall size D x W x H: 420 x 830 x 1585 mm.

One bin rail will hold:

- 7 pcs stacking bins 1015 or
- 5 pcs stacking bins 1520 or
- 5 pcs stacking bins 1525 or
- 4 pcs stacking bins 1930

One single stand will hold:

- 56 pcs stacking bins 1015 or
- 40 pcs stacking bins 1520 or
- 40 pcs stacking bins 1525 or
- 32 pcs stacking bins 1930

Double stand BS-160TA

Free standing frame of epoxy powder coated steel in grey (RAL 7045). 8 adjustable, double sided aluminium bin rails are included which may be positioned at 39 mm increments. Length of rail 753 mm. Load capacity: bin rail 15 kg to front and 15 kg to back (total 30 kg). Total load for the stand is 240 kg. Stacking bins are ordered separately. Overall size D x W x H: 600 x 830 x 1585 mm.

One bin rail will hold:

- 14 pcs stacking bins 1015 or
- 10 pcs stacking bins 1520 or
- 10 pcs stacking bins 1525 or
- 8 pcs stacking bins 1930

One double stand will hold:

- 112 pcs stacking bins 1015 or
- 80 pcs stacking bins 1520 or
- 80 pcs stacking bins 1525 or
- 64 pcs stacking bins 1930



BT-170A + stacking bins

Trolley BT-170A

As double stand. Bottom shelf of 12 mm laminated board. 4 castors Ø 100 mm, 2 with brakes. Total load for the trolley is 150 kg. Stacking bins are ordered separately. Overall size D x W x H: 600 x 830 x 1700 mm.

One bin rail will hold:

- 14 pcs stacking bins 1015 or
- 10 pcs stacking bins 1520 or
- 10 pcs stacking bins 1525 or
- 8 pcs stacking bins 1930

One trolley will hold:

- 112 pcs stacking bins 1015 or
- 80 pcs stacking bins 1520 or
- 80 pcs stacking bins 1525 or
- 64 pcs stacking bins 1930



BS-160LA + stacking bins



BS-160TA + stacking bins

gravity flow rack, stacking bin stands



DBS-808 + stacking bins

Gravity flow rack DBS-808

For use in workshop, production and storage areas etc. An efficient way of storing small parts. By using inclined shelves, bins will move by gravity from the restocking to the picking side of the rack system. 6 storage shelves which may be adjusted for height and angle. It holds 48 stacking bins of type 1940 which are ordered separately. Constructed from epoxy powder coated steel, colour grey (RAL 7035). Adjustable feet are provided for fine levelling. Load capacities: 70 kg per shelf and 420 kg per stand. Self size: 700 x 755 mm. Overall size D x W x H: 825 x 830 x 1650 mm. 1940 bin, see page 15.

Bin stand BR-2530

7 fixed, inclined storage levels, length 930 mm. Load capacities 50 kg per levels and 350 kg per stand. Constructed from epoxy powder coated steel, colour grey (RAL 7035). Stacking bins are ordered separately. Overall size D x W x H: 500 x 990 x 1540 mm.

One storage level holds
6 pcs stacking bins 1525 or
5 pcs stacking bins 1930

One bin stand holds:
42 pcs stacking bins 1525 or
35 pcs stacking bins 1930

Bin stand BR-4050

6 fixed, inclined storage levels, length 930 mm. Load capacities 50 kg per levels and 300 kg per stand. Constructed from epoxy powder coated steel, colour grey (RAL 7035). Stacking bins are ordered separately. Overall size D x W x H: 600 x 990 x 1670 mm.

One storage level holds
5 pcs stacking bins 1940 or
5 pcs stacking bins 1950 or
3 pcs stacking bins 3040 or
3 pcs stacking bins 3050

One bin stand holds:
30 pcs stacking bins 1940 or
30 pcs stacking bins 1950 or
18 pcs stacking bins 3040 or
18 pcs stacking bins 3050



BR-2530 + stacking bins



BR-4050 + stacking bins

WELL CONSIDERED, EFFICIENT SMALL PARTS STORAGE

Good storage planning requires the combination of many elements. Treston offer a flexible and first class range of storage solutions to build an effective storage system. Our range of small parts cabinets, bin cabinets and many kinds of storage bins give many options to store a wide variety of items. Our storage bins are moulded from sturdy polypropylene, making them strong and stable in all normal conditions. Large label areas offer easy identification of contents, and bin colour options are provided for colour coding systems. Other options include cabinet turntables, stands and trolleys offering further flexibility.



Treston reserves the right to amend specifications without prior notification.

TRESTON OY
Sorakatu 1
FI 20730 Turku FINLAND
Tel. 358-2-277 9000
Fax 358-2-236 1140
Email: sales@treston.com
www.treston.com